kuraray

## **Clarino**<sup>®</sup>

KX 8060


**®amaretta**™

easy wear, easy care

KX 8060



### **Clarino**<sup>®</sup>



amaretta™, KX 8060:

Composition: 60 % PA / 40 % PU

Width: 140 cm

Weight: ca. 200 g/sqm Thickness: ca. 0,6 mm Roll length: ca. 50 m

### Unique characteristics:

Micro-suede, lightweight, super-fine, breathable, durable, versatile









If dark or intensive colours are to be combined with light ones, colour bleeding may occur when becoming wet (darker dyestuff may migrate into light-coloured materials). In case of dyestuff migration, the combination should be changed. If different materials are to be combined, their compatibility should also be verified.

Material test reports for the individual colours can be delivered upon request. The test results refer to production batches randomly tested and are for reference only. The presentation of such reports does not release customers from their obligation to carefully investigate all necessary details that could be relevant for the application.

This collection includes some colours whose colour fastness is inferior to the quality standard of common fibrous products. Slight shade variation may occur between batches.

Restricted substances: Azo dyes, NP/OP, NPEO/OPEO, phthalates, PFOS/PFOA are not included in any colours. Some colours include PAHs within the limits of AfPS requirement (Category 1), in carbon black. Some colours include heavy metals as a component of the dyestuffs.

As KX8060 consists of super-fine microfibers, microfiber lint may attach to hands or articles of clothing by rubbing. Complaints about the goods supplied are excluded after cutting has occurred or if any other processing has commenced.



# kuraray



## **Clarino**<sup>™</sup>





### kura*ray*

Kuraray Europe GmbH BU Clarino / amaretta Philipp-Reis-Straße 4 65795 Hattersheim am Main Germany

Phone: +49(0)69 305 - 85 304 Fax: +49(0)69 305 - 85 388 E-Mail: amaretta@kuraray.com

www.clarino.eu



easy wear, easy care